

AMENDMENTS TO THE **CLAIMS**

1. **(Currently Amended)** An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024;

wherein said polypeptide is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively or is encoded by a polynucleotide that is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively.

2. **(Currently Amended)** The isolated polypeptide of Claim 1 having at least 85% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024;

wherein said polypeptide is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively or is encoded by a polynucleotide that is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively.

3. **(Currently Amended)** The isolated polypeptide of Claim 1 having at least 90% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024;

wherein said polypeptide is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively or is encoded by a polynucleotide that is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively.

4. **(Currently Amended)** The isolated polypeptide of Claim 1 having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024;

wherein said polypeptide is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively or is encoded by a polynucleotide that is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively.

5. **(Currently Amended)** The isolated polypeptide of Claim 1 having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024;

wherein said polypeptide is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively or is encoded by a polynucleotide that is expressed at a higher level in normal stomach and normal lung than in stomach tumor and lung tumor respectively.

6. **(Currently Amended)** An isolated polypeptide comprising:

(a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32);

(b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32);~~

Appl. No. : 10/063,536  
Filed : May 2, 2002

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:32), lacking its associated signal peptide; or~~

~~(e)~~ (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024.

7. **(Original)** The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:32).

8. **(Original)** The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO: 32), lacking its associated signal peptide.

9. **Canceled**

10. **Canceled**

11. **(Original)** The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203024.

12. **(Original)** A chimeric polypeptide comprising a polypeptide according to Claim 1 fused to a heterologous polypeptide.

13. **(Original)** The chimeric polypeptide of Claim 12, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.

**Appl. No.** : **10/063,536**  
**Filed** : **May 2, 2002**

**DELETION OF INVENTORS**

Please correct the inventorship under 37 CFR §1.48(b) by removing the following inventors from the present application:

Dan L. Eaton, Ellen Filvaroff, Mary E. Gerritsen, and Colin K. Watanabe.